

REFERENCES

- Alexander, D.J. (1993) Paramyxovirus infections. In Virus infections of birds. McFerran, J.B. and McNulty, M.S. (eds), pp 321-340, Elsevier Science Publishers B.V., Amsterdam.
- Antin, P.B. and Ordahl, C.P. (1991) Isolation and characterization of an avian myogenic cell line. *Dev. Biol.* 143: 111-121.
- Baron, M.D. and Barrett, T. (1997) Rescue of rinderpest virus from cloned cDNA. *J. Virol.* 71: 1265-1271.
- Beach, J.R. (1944) The neutralization *in vitro* of avian pneumoencephalitis virus by Newcastle disease immune serum. *Science* 100: 361-362.
- Beard, C.W. and Hanson, R.P. (1984) Newcastle disease. In M.S. Hofstad et al. (eds) Disease of Poultry, 8th Ed., pp. 452-470. Iowa State University Press, Ames.
- Beaudette, F.R., Bivins, J.A. and Miller, B.R. (1949) Newcastle disease immunization with live virus. *Cornell Vet.* 39: 302-334.
- Boursnell, M.E.G., Green, P.F., Samson, A.C.R., Campbell, J.I.A., Deuter, A., Peters, R.W., Millar, N.S., Emmerson, P.T. and Binns, M.M. (1990) A recombinant fowlpox virus expressing the hemagglutinin-neuraminidase gene of Newcastle disease virus (NDV) protects chickens against challenge by NDV. *Virology* 178: 297-300.
- Britton, P., Green, P., Kottier, S., Mawditt, K.L., Penzes, Z., Cavanagh, D. and Skinner, M. (1996) Expression of bacteriophage T7 RNA polymerase in avian and mammalian cells by a recombinant fowlpox virus. *J. Gen. Virol.* 77: 963-967.
- Calain, P. and Roux, L. (1993) The rule of six, a basic feature for efficient replication of Sendai virus defective interfering RNA. *J. Virol.* 67: 4822-4830.
- Chambers, P., Millar, N.S., Bingham, R.W. and Emmerson, P.T. (1986) Molecular cloning of complementary DNA to Newcastle disease virus and nucleotide sequence analysis of the junction between the genes encoding the hemagglutinin-neuraminidase and the large protein. *J. Gen. Virol.* 67: 475-486.
- Chang, A.C.Y. and Cohen, S.N. (1978) Construction and characterization of amplifiable multicopy DNA cloning vehicles derived from the P15A cryptic miniplasmid. *J. Bacteriol.* 134: 1141-1156.

- Cho, B.R. (1982) Cytopathic effects and focus formation by reticuloendotheliosis viruses in a quail fibroblast cell line. *Avian Diseases* 27: 261.
- Collins, P.L., Hil, M.G., Camargo, E., Grosfeld, H., Chanock, R.M. and Murphy, B.R. (1995) Production of infectious human respiratory syncytial virus from cloned cDNA confirms an essential role for transcription elongation factor from the 5' proximal open reading frame of the M2 mRNA in gene expression and provides a capability for vaccine development. *Proc. Natl. Acad. Sci. USA* 92: 11563-11567.
- Conzelmann, K.-K. (1996) Genetic manipulation of non-segmented negative-strand RNA viruses. *J. Gen. Virol.* 77: 381-389.
- Cowen, B.S. and Braune, M.O. (1988) The propagation of avian viruses in a continuous cell line (QT35) of Japanese quail origin. *Avian Diseases* 32: 282-297.
- Deng, R., Wang, Z., Mirza, A.M. and Iorio, R.M. (1995) Localization of a domain on the paramyxovirus attachment protein required for the promotion of cellular fusion by its homologous fusion protein spike. *Virology* 209: 457-496.
- Doyle, T.M. (1927) A hitherto unrecorded disease of fowls due to a filter-passing virus. *J. Comp. Pathol. Ther.* 40: 144-169.
- Garcin, D., Pelet, T., Calain, P., Roux, L., Curran, J. and Kolakofsky, D. (1995) A highly recombinogenic system for the recovery of infectious Sendai paramyxovirus from cDNA: generation of a novel copy-back non-defective interfering virus. *EMBO J.* 14: 6087-6094.
- Garten, W., Berk, W., Nagai, Y., Rott, R. and Klenk, H.-D. (1980) Mutational changes of the protease susceptibility of glycoprotein F of Newcastle disease virus: Effects on pathogenicity. *J. Gen. Virol.* 50: 135-147.
- Goldhaft, T.M. (1980) Historical note on the origin of the LaSota strain of Newcastle disease virus. *Avian Dis.* 24: 297-301.
- Gough, R.E. and Alexander, D.J. (1973) The speed of resistance to challenge induced in chickens vaccinated by different routes with a B1 strain of live NDV. *Vet. Rec.* 92: 563-564.

- Hanson, R.P. (1988) Heterogeneity within strains of Newcastle disease virus: key to survival. In D.J. Alexander (ed.), *Newcastle Disease*, pp. 113-130. Kluwer Academic Publ., Boston.
- Harty, R.N. and Palese, P. (1995) Mutations within noncoding terminal sequences of model RNA's of Sendai virus: Influence on reporter gene expression. *J. Virol.* 69: 5128-5131.
- Heckert, R.A., Riva, J., Cook, S., McMillen, J. and Schwartz, R.D. (1996) Onset of protective immunity in chicks after vaccination with a recombinant herpesvirus of turkeys vaccine expressing Newcastle disease virus fusion and hemagglutinin-neuraminidase antigens. *Avian Dis.* 40: 770-777.
- Heuschele, W.P. and Easterday, B.C. (1970) Local immunity and persistence of virus in the tracheas of chickens following infection with Newcastle disease virus. II. Immunofluorescent and histopathological studies. *J. Inf. Dis.* 121: 497-504.
- Hitchner, S.B. and Johnson, E.P. (1948) A virus of low virulence for immunizing fowls against Newcastle disease (avian pneumoencephalitis). *Vet. Med.* 43: 525-530.
- Hoffman, M.A. and Banerjee, A.K. (1997) An infectious clone of human parainfluenza virus type 3. *J. Virol.* 71: 4272-4277.
- Hofstad, M.S. (1953) Immunization of chickens against Newcastle disease by formalin-inactivated vaccine. *Am. J. Vet. Res.* 14: 586-589.
- Ichihara, Y., and Kurosawa, Y. (1993) Construction of new T vectors for direct cloning of PCR products. *Gene* 130: 153-154.
- Ishida, N., Taira, H., Omata, T., Mizumoto, K., Hattori, S., Iwasaki, K. and Kawakita, M. (1986) Sequence of 2617 nucleotides from the 3' end of Newcastle disease virus genome RNA and the predicted amino acid sequence of the viral NP protein. *Nucl. Acids Res.* 14: 6551-6564.
- Kaleta, E.F. and Baldauf, C. (1988) Newcastle Disease in free-living and pet birds. In D.J. Alexander (ed.), *Newcastle Disease*, pp. 197-246. Kluwer Academic Publ., Boston.
- Kant, A., Koch, G., van Roozelaar, D.J., Balk, F. and ter Huurne, A. (1997) Differentiation of virulent and non-virulent strains of Newcastle disease virus within 24 hours by polymerase chain reaction. *Avian Pathol.* 26: 837-849.

- Kolakofsky, D., Pelet, T., Garcin, D., Hausmann, S., Curran, J. and Roux, L. (1998) Paramyxovirus RNA synthesis and the requirement for hexamer genome length: the rule of six revisited. *J. Virol.* 72: 891-899.
- Kraneveld, F.C. (1926) A poultry disease in the Dutch East Indies. *Ned. Indisch Bl. Diergeneesk.* 38: 448-450.
- Lamb, R.A. and Kolakofsky, D. (1996) *Paramyxoviridae: the viruses and their replication*. In: *Fundamental Virology* (Fields et al., eds), Chapter 20, 577-604, Lipincott-Raven Publishers, Philadelphia.
- Lawson, N.D., Stillman, E.A., Whitt, M.A. and Rose, J.K. (1995) Recombinant vesicular stomatitis virus from DNA. *Proc. Natl. Acad. Sci. USA* 92: 4477-4481.
- Long, L., Portetelle, D., Ghysdael, J., Gonze, M., Burny, A. and Meulemans, G. (1986) Monoclonal antibodies to haemagglutinin-neuraminidase and fusion glycoproteins of Newcastle disease virus: relationship between glycosylation and reactivity. *J. Virol.* 57: 1198-1202.
- Madansky, C.H. and Bratt, M.A. (1978) Noncytopathic mutants of Newcastle disease virus. *J. Virol.* 26: 724-729.
- Madansky, C.H. and Bratt, M.A. (1981a) Noncytopathic mutants of Newcastle disease virus are defective in virus-specific RNA synthesis. *J. Virol.* 37: 317-327.
- Madansky, C.H. and Bratt, M.A. (1981b) Relationships among virus spread, cytopathogenicity, and virulence as revealed by the noncytopathic mutants of Newcastle disease virus. *J. Virol.* 40: 691-702.
- Meulemans, G., Gonze, M., Carlier, M.C., Petit, P., Burny, A. and Long, L. (1986) Protective effects of HN and F glycoprotein-specific monoclonal antibodies on experimental Newcastle disease. *Avian Pathol.* 15: 761-768.
- Millar, N.S., Chambers, P. and Emmerson, P.T. (1988) Nucleotide sequence of the fusion and haemagglutinin-neuraminidase gene of Newcastle disease virus, strain Ulster: Molecular basis for variations in pathogenicity between strains. *J. Gen. Virol.* 69: 613-620.
- Morgan, R.W., Gelb Jr., J., Schreurs, C.S., Lütticken, D., Rosenberger, J.K. and Sondermeijer, P. (1992) Protection of chickens from Newcastle and Marek's diseases with a recombinant

- herpesvirus of turkeys vaccine expressing the Newcastle disease virus fusion protein. *Avian Dis.* 36: 858-870.
- Morgan, R.W., Geib Jr., J., Pope, C.R. and Sondermeijer, P. (1993) Efficacy in chickens of a herpesvirus of turkeys recombinant vaccine containing the fusion gene of Newcastle disease virus: onset of protection and effect of maternal antibodies.
- Moscovici, C., Moscovici, M.G., Jimenez, H., Lai, M.M., Haymann, M.J. and Vogt, P.K. (1977) Continuous tissue culture cell lines derived from chemically induced tumors of Japanese quail. *Cell* 11: 95-103.
- Pattnaik, A.K., Ball, L.A., LeGrone, A.W. and Wertz, G.W. (1992) Infectious defective interfering particles of VSV from transcripts of a cDNA clone. *Cell* 69: 1011-1020.
- Peeples, M.E. (1988) Newcastle disease virus replication. In D.J. Alexander (ed.), *Newcastle Disease*, pp. 45-78. Kluwer Academic Publ., Boston.
- Peeters, B., de Wind, N., Hooisma, M., Wagenaar, F., Gielkens, A. and Moormann, R. (1992) Pseudorabies virus envelope glycoproteins gp50 and gII are essential for virus penetration, but only gII is involved in membrane fusion. *J. Virol.* 66: 894-905.
- Radecke, F., Spielhofer, P., Schneider, H., Kaelin, K., Huber, M., Dötsch, C., Christiansen, G. and Billeter, M.A. (1995) Rescue of measles virus from cloned DNA. *EMBO J.* 14: 5773-5784.
- Rott, R. and Kienk, H.-D. (1988) Molecular basis of infectivity and pathogenicity of Newcastle disease virus. In D.J. Alexander (ed.), *Newcastle Disease*, pp. 98-112. Kluwer Academic Publ., Boston.
- Russell, P.H., Griffiths, P.C., Goswami, K.K.A., Alexander, D.J., Cannon, M.J. and Russell, W.C. (1983) The characterization of monoclonal antibodies to Newcastle disease virus. *J. Gen. Virol.* 64: 2069-2072.
- Sambrook, J., Fritsch, E.F., and Maniatis, T. (1989) *Molecular cloning, a laboratory manual*. Cold Spring Harbor Laboratories, Cold Spring Harbor, NY.
- Schneider, H., Spielhofer, P., Kaelin, K., Dötsch, C., Radecke, F., Sutter, G. and Billeter, M.A. (1997) Rescue of measles virus using a replication-deficient vaccinia-T7 vector. *J. Virol. Meth.* 64: 57-64.

- Schnell, M.J., Mebatsion, T. and Conzelmann, K.-K. (1994) Infectious rabies viruses from cloned cDNA. *EMBO J.* 13: 4195-4203.
- Schütze, H., Enzmann, P.-J., Kuchling, R., Mundt, E., Niemann, H. and Mettenleiter, T.C. (1995) Complete genomic sequence of the fish rhabdovirus infectious haematopoietic necrosis virus. *J. Gen. Virol.* 76: 2519-2527.
- Smith, A.L., Tignor, G.H., Mifune, K., and Motohashi, T. (1977) Isolation and assay of rabies serogroup viruses in CER cells. *Intervirology* 8: 92-99.
- Spradbrow, P.B. (1988) Geographical distribution. In D.J. Alexander (ed.), *Newcastle Disease*, pp. 247-255. Kluwer Academic Publ., Boston.
- Staüber, N., Brechtbühl, K., Bruckner, L. and Hofmann, M.A. (1995) Detection of Newcastle disease virus in poultry vaccines using the polymerase chain reaction and direct sequencing of amplified DNA. *Vaccine* 13: 360-364.
- Steward, M., Vipond, I.B., Millar, N.S. and Emmerson, P.T. (1993) RNA editing in Newcastle disease virus. *J. Gen. Virol.* 74: 2539-2547.
- Taylor et al. (1990) Newcastle disease virus fusion protein expressed in a fowlpox virus recombinant confers protection in chickens. *J. Virol.* 64: 1441-1450.
- Tessier, D.C., Brousseau, R., and Vernet, T. (1986) Ligation of single-stranded oligodeoxyribonucleotides by T4 RNA ligase. *Anal. Biochem.* 158: 171-178.
- Vieira, J., and Messing, J. (1991) New pUC-derived cloning vectors with different selectable markers and DNA replication origins. *Gene* 100: 189-194.
- Vindevogel, H. and Duchatel, J.P. (1988) Panzootic Newcastle disease virus in pigeons. In D.J. Alexander (ed.), *Newcastle Disease*, pp. 184-196. Kluwer Academic Publ., Boston.
- Whelan et al. (1995) Efficient recovery of infectious vesicular stomatitis virus entirely from cDNA clones. *Proc. Natl. Acad. Sci. USA* 92: 8388-8392.
- Wensvoort et al. (1986) Production of monoclonal antibodies against swine fever virus and their use in laboratory diagnosis. *Vet. Microbiol.* 12: 101-108.
- Yusoff, K., Millar, N.S., Chambers, P., and Emmerson, P.T. (1987) Nucleotide sequence analysis of the L gene of Newcastle disease virus: homologies with Sendai and vesicular stomatitis viruses. *Nucl. Acids Res.* 15: 3961-3976.